





# THE NEXT REVOLUTION IN STAINLESS STEEL PROPELLERS HAS BEGUN



Utilizing almost 40 years of race boat and high performance prop design expertise, our Express® Mach3™ series of props captures all the best techniques and technologies available to get the most out of your boat. Aggressive pitch angles, radical designs, sharp cup profiles. These three blade propellers excel at achieving maximum speed, while delivering Best-in-Class handling and acceleration. Hole Shot? Got it, and hang on! Cornering? We've got that, too! Top Speed? We say "No Faster Prop on the Water" for a reason!

Upgrading your current propeller from aluminum to stainless steel, or from an old generation design to the latest technology, Express Mach3 Propeller is the best investment in boat improvement you can make. Today's New Designs will run circles around the competition, and can make dramatic improvements in boat performance. The gain in fuel economy can often pay for the cost of a new propeller in one or two seasons, making it a sound investment in your time on the water. Express Mach3 props are available for 9.9 (Bigfoot) to 300+hp outboards and sterndrives.

Turning Point manufactures Express propellers to fit 6-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.



The Prop that put the "four" in **Perfourmance!** Turning Point's Four Blade Hustler revolutionized the aluminum propeller market when introduced over 6 years ago. No one had ever produced an aluminum propeller with two different blade shapes (we call it Dual Geometry) for 90-300+hp applications and a state-of-the-art Swept Cleaver design for 40-150hp applications. These props re-wrote the rules, proving that you can run a four blade that has unprecedented hole shot, handling, and rough water stability without the top-end speed loss you experience with other manufacturers' propellers.

Now manufactured in our Industry leading TP17 stainless, the Express Mach4 series is perfect for any application that demands enhanced acceleration, cornering, and load carrying capabilities. This prop series is ideally suited for watersports, sterndrive boats, tri-toons, bay boats, and any vessel that can use stern lift. It is our best upgrade of older stainless designs from the 70's, 80's, 90's, and '00's, and will outrun most newer props, including five blade ski props.



The New Express® Mach3™ OS™ Series of Stainless Steel Propellers are the next step in the evolution of our very popular larger diameter VO series. Our Engineers and Propeller Experts made improvements to the cup, leading and trailing edges, and the aggressive progressive rake and blade geometry that are Turning Point hallmarks. These modifications have produced a propeller with excellent hole shot, impressive bow lift, and class leading cornering. The Express Mach3 OS is perfectly matched to large horsepower bay boats, offshore center consoles, and high horsepower pontoons/tri-toons. It will fit all 90hp and



larger 4.75" gearcase outboards from all engine manufacturers, and Mercury® Alpha One™ and Bravo One™, and Volvo® Penta® SX sterndrives. Large diameter three blade propellers offer great mid-range fuel economy in many applications. Whether you are looking to maximize your time on the water, extend your cruise range, or just stretch your fuel dollars, the Express Mach3 OS is a great choice to get the most out of your boat.

# STAINLESS STEEL PROPELLERS

## EXPRESS PROP OPTIONS


- ▲ **9.9-35hp**  
 11", 13" pitch
- **25-75hp**  
 12", 13", 14" pitch
- ◆ **40-150hp**  
 11", 13", 15", 17", 19", 21" pitch  
 11", 13", 15", 17", 19", 21" pitch
- **90-300+hp**  
 15", 17", 19", 21", 23" pitch  
 15", 17", 19", 21", 23"

## EXPRESS MANUFACTURING, DESIGN, AND PERFORMANCE FEATURES

**Proprietary Stainless Steel, TP17™**  
 Formulated to meet the exacting requirements of the New Express Mach3 and Mach4 designs. 20% higher chromium content than the competition - more shine, better corrosion resistance. Almost 250% Stronger and 5X more durable than run-of-the-mill stainless steel. This new material allows Turning Point's Engineers and Designers the freedom to produce radical new designs that will help you wring the most performance out of your boat.

**MaxSpeed™ Dyno Balance Processes**  
 Gives your boat a smoother running ride, higher top end speed, and increases fuel economy. This process is standard on every prop and is only offered as a costly option from other manufacturers. (Exclusive on all Mach3 and Mach4 Propellers)

**Best "In-Class" Reversibility**  
 Recent tests reveal that new Express Mach Series Propellers have up to 46% more reverse thrust over competitive propeller designs.



**Tuned Vents for Fast Hole Shot**  
 Turning Point uses this race boat proven technology to increase low speed acceleration and hole shot. Use it to get your boat on plane faster, and to your favorite fishing spot quicker! (selected models only 13" through 16" diameter 15+ Pitch).

**Performance Tuned Rake Angles**  
 Higher rake angles tighten the vortex produced by the propellers, adding to boat lift and overall performance.

**High Flow-Through Barrel Exhaust System**  
 Maximizing exhaust flow increases horsepower and top end speed.

**Tuned Progressive Pitch Angles**  
 Accelerating and channeling water to minimize slip increases performance and fuel economy.



Turning Point manufactures Express propellers to fit 9.9(Bigfoot)-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

# SHE'LL DO THINGS YOU NEVER THOUGHT POSSIBLE!

Express® Mach3™: Looking for Top Speed? Get one, and hold on!  
 Express® Mach4™: Max Cornering? Like you're on rails! Hole Shot? Like a rocket!  
 Express® Mach3™ OS™: Big Blades for Big Horsepower. Get Peak Performance on Pontoon, Center Console, or Walleye Boats.



## HOW TO FIND YOUR BOAT PROPELLER

3 Blade 4 Blade Left Rotation Right Rotation (standard)

### 1. Find Your Engine

Use all elements to find your exact engine model.

### 2. Buy This Kit

All props require an Installation kit.

### 3. Pick Your Housing Pitch

Order both prop and installation kit (2 items).

## 9.9-35hp ENGINES WITH A 3" GEARCASE

Engine Brand - Various Splined Prop Shafts	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> (14 spline) 2 stroke: 20, 25 ('84+), 25 commercial ('93-'05), 30 ('84+), 35 ('76-'05) / E-Tec: 25hp, 30hp / H.O.: 15hp	22	11200200	\$00.00	1
<b>FORCE®:</b> (10 spline) 25hp ('95-'98)	21	11200100	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> (10 spline) 2 stroke: 18hp ('80-'85), 20hp ('86+), 25hp ('85+) 4 stroke Bigfoot / Sail: 9.9hp ('99-'05), 15hp ('99-'05)	21	11200100	\$00.00	

Engine Brand - 10 Spline Prop Shaft	Kit	Part #	List	Prop
<b>HONDA®:</b> BF25, BF30	28	11200800	\$00.00	2
<b>MERCURY® &amp; MARINER®:</b> 4 stroke ('06+, cotter pin shaft): 25hp, 30hp	28	11200800	\$00.00	
<b>PARSUN®:</b> 20hp, 25hp	25	11200500	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> 2 and 4 stroke: 25hp, 30hp	28	11200800	\$00.00	
<b>YAMAHA®:</b> 2 stroke: 20hp, 25hp, 30hp / 4 stroke: 25hp	25	11200500	\$00.00	

Engine Brand - 10 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> 4 stroke: 25hp, 30hp	26	11200600	\$00.00	3
<b>SUZUKI®:</b> DT 2 stroke ('87+): 20, 25, 25C, 30, 30C DF 4 stroke: 25hp, 30hp	26	11200600	\$00.00	

## 25-75hp ENGINES WITH A 3.5" GEARCASE

Engine Brand - 13 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> 4 stroke: 40hp, 50hp	11	11300101	\$00.00	1
<b>FORCE®:</b> 40hp ('95-'98), 50hp ('95-'98), 70hp ('91-'95), 75hp ('96-'98)	11	11300101	\$00.00	
<b>HONDA®:</b> BF 4 stroke: 35, 40, 45, 50, 60hp, (not P60)	12	11300200	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> 2 stroke: 30hp ('94+) / 35, 45, 55 / 40, 50, 60 ('77+) / 70hp ('77-'83) 4 stroke: 25hp, 30hp Bigfoot / 30hp ('94-'05) / 40hp (*not Bigfoot, CT, or SeaPro 4cyl), 45hp, 48hp (Mariner), 50hp (*not bigfoot or CT), 55hp (SeaPro), 60hp (*not Bigfoot, CT, or SeaPro) *note: see 4.25" Gearcase	11	11300101	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> 40C, 40D, 50D, 50C, 60A, 70A2, 60B, 70B	13	11300301	\$00.00	
<b>PARSUN®:</b> T30, T35, T36, T40	12	11300200	\$00.00	
<b>SUZUKI®:</b> DT 2 stroke ('89+): 35C, 40, 50, 50M, 55, 60, 65hp DF 4 stroke: 40hp, 50hp / ('10+): 40A, 50A, 60A	11	11300101	\$00.00	
<b>YAMAHA®:</b> 2 stroke: 40hp to 55hp / 4 stroke: FT25hp High Thrust, 30hp to 60hp	12	11300200	\$00.00	



Dia x Pitch	Model #	Part #	List
NEW 10.5 X 11	EX1-1011	31201111	\$000.00
NEW 10.125 X 13	EX1-1013	31201311	\$000.00

Dia x Pitch	Model #	Part #	List
NEW 10.325 X 11	EX2-1011	31211111	\$000.00
NEW 10.375 X 13	EX2-1013	31211311	\$000.00

Dia x Pitch	Model #	Part #	List
NEW 10.5 X 11	EX3-1011	31221111	\$000.00
NEW 10.125 X 13	EX3-1013	31221311	\$000.00



Dia x Pitch	Model #	Part #	List
NEW 10.75 X 12	E1-1012	31301212	\$000.00
NEW 10.5 X 13	E1-1013	31301312	\$000.00
NEW 10.38 X 14	E1-1014	31301412	\$000.00

### Lifetime Warranty Hub System

- Save up to 38% when purchasing a replacement Prop
- Reduce gear shock and engine/drive damage
- Minimizes propeller vibration and chatter
- Corrosion resistant brass splines and nylon
- Eliminates spun hubs
- Ends hub cracking



**Not Sure What Propeller to Buy?**  
 Use Turning Point's exclusive online tool, the Prop Wizard®  
 visit: <http://tpprops.com/propwizard>

## 40-150hp ENGINES WITH A 4.25" GEARCASE

Engine Brand - Various Splined Prop Shafts	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> (13 spline shaft) 2 cyl: 50hp ('71-'74) / 45 to 55hp commercial 3 cyl: 55, 60, 65, 70hp, 75hp with large gearcase, 65hp commercial 4 cyl: 75, 85, 88, 90, 100, 110, 115, 120 ('86-'94), 125, 135 ('73-'76), 140 ('77-'84, '86-'94) / H.O.: 115hp E-TEC: 40, 50, 60, 65, 75hp / 20" shaft: 90, 115hp (not pontoon series), 130hp ('09-'10)	503	11500300	\$00.00	1
<b>EVINRUDE® / JOHNSON®:</b> (13 spline shaft) 4 stroke: 60hp, 70hp	506	11500600	\$00.00	
<b>FORCE®:</b> (15 spline shaft) 75hp ('99) / 90hp to 150hp ('95+)	501	11500100	\$00.00	
<b>HONDA®:</b> (15 spline shaft) ('95-'98): 75hp, 90hp	501	11500100	\$00.00	
<b>HONDA®:</b> (15 spline shaft) P60 / 75, 90 ('99+) / 100, 115, 130hp. (not 115D)	507	11500700	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> (15 spline shaft) (2 and 4 stroke) 40 to 60 Bigfoot / 70 ('87-'89) / 75, 80 ('78-'89), 90, 100, 115, 125, 140hp / 150 XR4/6 (thru 1993, includes equivalent Mariner Magnum I, II, III.) EFI CT & SeaPro 4cyl: 40 to 75hp / OptiMax: 75, 90, 115, 125hp	501	11500100	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> (15 spline shaft) 60C, 70C / 90 to 140hp(not BFT)	505	11500500	\$00.00	
<b>OMC®:</b> (13 spline shaft) Cobra 400: 2.3 to 3.0L ('78-'89) / Sea Drive: 1.6 to 1.8L	503	11500300	\$00.00	
<b>PARSUN®:</b> (15 spline shaft) T60, T75, T85, T90	500	11500000	\$00.00	
<b>SUZUKI®:</b> (13 spline shaft) DT 2 Stroke ('89+): 75 to 140hp / DF 4 Stroke ('98-'09): 60hp, 70hp	506	11500600	\$00.00	
<b>SUZUKI® / JOHNSON®:</b> (15 spline shaft) <b>USE 4 BLADES ONLY</b> 4 stroke: ('09+) 70A, 80A, 90A, 70, 80 / ('01+) 90, 100, 115 (Not 115A)	509	11500900	\$00.00	
<b>SUZUKI® / JOHNSON®:</b> (15 spline shaft) <b>USE 4 BLADES ONLY</b> DF 4 stroke: 50AV, 60AV, 115A, 140, 140A	501	11500100	\$00.00	
<b>YAMAHA®:</b> (15 spline shaft) High Thrust: T50, FT60 / 2 stroke: 60 to 100hp / 4 stroke: 70 to 100hp	500	11500000	\$00.00	
<b>YAMAHA®:</b> (15 spline shaft) 2 stroke: 115 to 130hp / 4stroke: 115hp	505	11500500	\$00.00	

Mercury/Mariner (1977 and older) not available.  
 Yamaha: if propeller strikes trim tab, replace with Yamaha part #6E5-45371-10.

**Compatible with Competitors' Hub & Prop Systems**  
 Works with Mercury® Flo-Torq II®, Michigan Wheel® XHS®, Solas® Rubex™



Dia x Pitch	Model #	Part #	List
13.75 x 15	EX1/EX2-1315	31431512	\$000.00
13.25 x 17	EX1/EX2-1317	31431712	\$000.00
13.25 x 19	EX1/EX2-1319	31431912	\$000.00
13.25 x 21	EX1/EX2-1321	31432112	\$000.00



Dia x Pitch	Model #	Part #	List
NEW 14 x 11	EX1/EX2-1411-4	31431130	\$000.00
NEW 14 x 11	EX1/EX2-1411-4L	31431140	\$000.00
NEW 14 x 13	EX1/EX2-1413-4	31431330	\$000.00
NEW 14 x 13	EX1/EX2-1413-4L	31431340	\$000.00
13.5 x 15	EX1/EX2-1315-4	31431530	\$000.00
NEW 13.5 x 15	EX1/EX2-1315-4L	31431540	\$000.00
13.25 x 17	EX1/EX2-1317-4	31431730	\$000.00
NEW 13.25 x 17	EX1/EX2-1317-4L	31431740	\$000.00
13 x 19	EX1/EX2-1319-4	31431930	\$000.00
NEW 13 x 19	EX1/EX2-1319-4L	31431940	\$000.00
NEW 13 x 21	EX1/EX2-1321-4	31432130	\$000.00
NEW 13 x 21	EX1/EX2-1321-4L	31432140	\$000.00

# EXPRESS<sup>®</sup>

STAINLESS STEEL PROPELLERS

Turning Point manufactures Express propellers to fit 9.9(Bigfoot)-300+hp Evinrude<sup>®</sup>, Force<sup>®</sup>, Honda<sup>®</sup>, Johnson<sup>®</sup>, Mariner<sup>®</sup>, Mercruiser<sup>®</sup>, Mercury<sup>®</sup>, Nissan<sup>®</sup>, OMC<sup>®</sup>, Parsun<sup>®</sup>, Suzuki<sup>®</sup>, Tohatsu<sup>®</sup>, Volvo Penta<sup>®</sup>, and Yamaha<sup>®</sup> Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.



### Not Sure What Propeller to Buy?

Use Turning Point's exclusive online tool, the Prop Wizard<sup>®</sup>. It calculates the correct pitch and recommends a prop for your boating needs. Ask your Sales Associate for details about Turning Point's full line of Aluminum and Stainless Steel props for 6-300+hp outboards and sterndrives. visit: <http://tpprops.com/propwizard>



## TURNING POINT PROPELLERS

### 90-300+hp ENGINES WITH A 4.75" GEARCASE

Engine Brand - 15 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE<sup>®</sup> / JOHNSON<sup>®</sup>:</b> V4 with V6 large gearcase: 100hp commercial, 120hp ('85), 130hp ('95-'96), 140hp ('85), Pleasure ('95+): 115hp, 130hp / H.O.: 150, 200, 225, 250hp E-TEC (includes pontoon series - not for E-TEC G2): (25" shaft) 90hp, 115hp, 130hp ('09-'10), 135hp to 300hp / V6: 135hp to 250hp / V8: 250hp to 300hp	502	11500200	\$00.00	
<b>EVINRUDE<sup>®</sup> E-TEC<sup>®</sup> G2<sup>™</sup>:</b> G2 Series Only: 150 to 300hp	511	11501100	\$00.00	
<b>HONDA<sup>®</sup>:</b> BF115D, BF135, BF150, BF200 ('02-'12), BF225 ('02-'12)	507	11500700	\$00.00	
<b>HONDA<sup>®</sup>:</b> BF200A ('13+), BF225A ('13+), BF250A ('12+)	508	11500800	\$00.00	
<b>JOHNSON<sup>®</sup>:</b> USE EXPRESS MACH3 OS SERIES PROPS ONLY: 4 stroke: 200hp, 225hp	507	11500700	\$00.00	
<b>MERCURY<sup>®</sup> &amp; MARINER<sup>®</sup>:</b> Note: 115hp ProXS CT Only; For ProXS & Verado w/ 1.25" prop shaft, use Mercury Solid Hub kit with the Turning Point Prop. EFI CT / SeaPro: 90 to 150hp / V6 & I6: 135 to 300hp / Verado 135 to 300hp / OptiMax: 150, 200, 250hp	501	11500100	\$00.00	
<b>MERCURUISER<sup>®</sup>:</b> (If propeller strikes trim tab, replace with Mercury part #822777A1) Alpha One and Bravo One ('83+)	501	11500100	\$00.00	
<b>OMC<sup>®</sup>:</b> Cobra 800: 3.0 to 7.5L / King Cobra: 454, 502 / Sea Drive: 2.0 to 4.0L	502	11500200	\$00.00	
<b>SUZUKI<sup>®</sup>:</b> DT 2 stroke: 150hp to 225hp	507	11500700	\$00.00	
<b>SUZUKI<sup>®</sup>:</b> USE EXPRESS MACH3 OS SERIES PROPS ONLY: DF 4 stroke: 150 to 300hp	507	11500700	\$00.00	
<b>TOHATSU<sup>®</sup>:</b> BFT115, BFT150, BFT200, BFT225, BFT250	508	11500800	\$00.00	
<b>VOLVO<sup>®</sup> PENTA SX &amp; OMC SX COBRA:</b> (19 spline) ('94+): 3.0 to 8.2L. Not available for Volvo DuoProp or Aquamatic drives.	504	11500400	\$00.00	
<b>VOLVO<sup>®</sup> PENTA AQ:</b> (17 spline) USE 4 BLADES ONLY 200, 250, 270, 280, 290	510	11501000	\$00.00	
<b>YAMAHA<sup>®</sup>:</b> 2 and 4 stroke: 150 to 250hp / stern drives 3.0 to 7.4L	505	11500500	\$00.00	



Dia x Pitch	Model #	Part #	List
14.25 x 17	EX-1417	31501712	\$000.00
14.25 x 17	EX-1417-L	31501722	\$000.00
14.25 x 19	EX-1419	31501912	\$000.00
14.25 x 19	EX-1419-L	31501922	\$000.00
14.25 x 21	EX-1421	31502112	\$000.00
14.25 x 21	EX-1421-L	31502122	\$000.00
NEW 14.25 x 23	EX-1423	31502311	\$000.00
NEW 14.25 x 23	EX-1423-L	31502321	\$000.00



Dia x Pitch	Model #	Part #	List
15 x 15	EX-1515-4	31501532	\$000.00
15 x 15	EX-1515-4L	31501542	\$000.00
14.5 x 17	EX-1417-4	31501731	\$000.00
14.5 x 17	EX-1417-4L	31501741	\$000.00
14 x 19	EX-1419-4	31501931	\$000.00
14 x 19	EX-1419-4L	31501941	\$000.00
14 x 21	EX-1421-4	31502131	\$000.00
14 x 21	EX-1421-4L	31502141	\$000.00



Dia x Pitch	Model #	Part #	List
NEW 15.6 x 17	OS-1617	31511710	\$000.00
NEW 15.6 x 17	OS-1617-L	31511720	\$000.00
NEW 15.6 x 19	OS-1619	31511910	\$000.00
NEW 15.6 x 19	OS-1619-L	31511920	\$000.00
NEW 15.6 x 21	OS-1621	31512110	\$000.00
NEW 15.6 x 21	OS-1621-L	31512120	\$000.00
NEW 15.6 x 23	OS-1623	31512310	\$000.00
NEW 15.6 x 23	OS-1623-L	31512320	\$000.00

**NEW MACH3 EXPRESS OS STAINLESS STEEL PROPELLERS**

The New Express<sup>®</sup> Mach3<sup>™</sup> OS<sup>™</sup> Series of Stainless Steel Propellers are the next step in the evolution of our very popular larger diameter VO series. Our Engineers and Propeller Experts made improvements to the cup, leading and trailing edges, and the aggressive progressive rake and blade geometry that are Turning Point hallmarks. These modifications have produced a propeller with excellent hole shot, impressive bow lift, and class leading cornering. The Express Mach3 OS is perfectly matched to large horsepower bay boats, offshore center consoles, and high horsepower pontoons/tri-toons. It will fit all 90hp and larger 4.75" gearcase outboards from all engine manufacturers, and Mercury<sup>®</sup> Alpha One<sup>™</sup> and Bravo One<sup>™</sup>, and Volvo<sup>®</sup> Penta<sup>®</sup> SX sterndrives. Large diameter three blade propellers offer great mid-range fuel economy in many applications. Whether you are looking to maximize your time on the water, extend your cruise range, or just stretch your fuel dollars, the Express Mach3 OS is a great choice to get the most out of your boat.

# AEGIS<sup>®</sup>

STAINLESS STEEL PROPELLERS

The **NEW Aegis<sup>™</sup> Propeller System** uses unique geometry to produce a propeller that will minimize the potential damage from a prop strike to marine mammals, turtles, and other sea life at low boat speeds. It will also reduce the occurrences of incidental contact injury by bathers and boaters when the boat is at idle or stopped. Turning Point Aegis<sup>™</sup> stainless steel boat propellers are designed for 25-300+hp outboards and sterndrive applications.

### 1. Find Your Engine

Use all elements to find your exact engine model.

### 2. Buy This Kit

All props require an Installation kit.

### 3. Pick Your Housing Pitch

Order both prop and installation kit (2 items).

## 25-75hp ENGINES WITH A 3.5" GEARCASE

Engine Brand - 13 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE<sup>®</sup> / JOHNSON<sup>®</sup>:</b> 4 stroke: 40hp, 50hp	11	11300101	\$00.00	
<b>FORCE<sup>®</sup>:</b> 40hp ('95-'98), 50hp ('95-'98), 70hp ('91-'95), 75hp ('96-'98)	11	11300101	\$00.00	
<b>HONDA<sup>®</sup>:</b> BF 4 stroke: 35, 40, 45, 50, 60hp, (not P60)	12	11300200	\$00.00	
<b>MERCURY<sup>®</sup> &amp; MARINER<sup>®</sup>:</b> 2 stroke: 30hp ('94+) / 35, 45, 55 / 40, 50, 60 ('77+) / 70hp ('77-'83) 4 stroke: 25hp, 30hp BigFoot / 30hp ('94-'05) / 40hp (*not BigFoot, CT, or SeaPro 4cyl), 45hp, 48hp(Mariner), 50hp (*not bigfoot or CT), 55hp (SeaPro), 60hp (*not BigFoot, CT, or SeaPro) *note: see 4.25" Gearcase	11	11300101	\$00.00	
<b>NISSAN<sup>®</sup> &amp; TOHATSU<sup>®</sup>:</b> 40C, 40D, 50D, 50C, 60A, 70A2, 60B, 70B	13	11300301	\$00.00	
<b>PARSUN<sup>®</sup>:</b> T30, T35, T36, T40	12	11300200	\$00.00	
<b>SUZUKI<sup>®</sup>:</b> DT 2 stroke ('89+): 35C, 40, 50, 50M, 55, 60, 65hp DF 4 stroke: 40hp, 50hp / ('10+): 40A, 50A, 60A	11	11300101	\$00.00	
<b>YAMAHA<sup>®</sup>:</b> 2 stroke: 40hp to 55hp / 4 stroke: FT25hp High Thrust, 30hp to 60hp	12	11300200	\$00.00	



Dia x Pitch	Model #	Part #	List
NEW 10.75 x 12	A1-1012	32301210	\$000.00
NEW 10.5 x 13	A1-1013	32301310	\$000.00
NEW 10.375 x 14	A1-1014	32301410	\$000.00



## 40-150hp ENGINES WITH A 4.25" GEARCASE

Engine Brand - Various Splined Prop Shafts	Kit	Part #	List	Prop
<b>EVINRUDE<sup>®</sup> / JOHNSON<sup>®</sup>:</b> (13 spline shaft) 2 cyl: 50hp ('71-'74) / 45 to 55hp commercial 3 cyl: 55, 60, 65, 70hp, 75hp with large gearcase, 65hp commercial 4 cyl: 75, 85, 88, 90, 100, 110, 115, 120 ('86-'94), 125, 135 ('73-'76), 140 ('77-'84, '86-'94) / H.O.: 115hp E-TEC: 40, 50, 60, 65, 75hp / 20" shaft: 90, 115hp (not pontoon series), 130hp ('09-'10)	503	11500300	\$00.00	
<b>EVINRUDE<sup>®</sup> / JOHNSON<sup>®</sup>:</b> (13 spline shaft) 4 stroke: 60hp, 70hp	506	11500600	\$00.00	
<b>FORCE<sup>®</sup>:</b> (15 spline shaft) 75hp ('99) / 90hp to 150hp ('95+)	501	11500100	\$00.00	
<b>HONDA<sup>®</sup>:</b> (15 spline shaft) ('95-'98): 75hp, 90hp	501	11500100	\$00.00	
<b>HONDA<sup>®</sup>:</b> (15 spline shaft) P60 / 75, 90 ('99+) / 100, 115, 130hp. (not 115D)	507	11500700	\$00.00	
<b>MERCURY<sup>®</sup> &amp; MARINER<sup>®</sup>:</b> (15 spline shaft) (2 and 4 stroke) 40 to 60 BigFoot / 70 ('87-'89) / 75, 80 ('78-'89), 90, 100, 115, 125, 140hp / 150 XR4/6 (thru 1993, includes equivalent Mariner Magnum I, II, III). EFI CT & SeaPro 4cyl: 40 to 75hp / OptiMax: 75, 90, 115, 125hp	501	11500100	\$00.00	
<b>NISSAN<sup>®</sup> &amp; TOHATSU<sup>®</sup>:</b> (15 spline shaft) 60C, 70C / 90 to 140hp(not BFT)	505	11500500	\$00.00	
<b>OMC<sup>®</sup>:</b> (13 spline shaft) Cobra 400: 2.3 to 3.0L ('78-'89) / Sea Drive: 1.6 to 1.8L	503	11500300	\$00.00	
<b>PARSUN<sup>®</sup>:</b> (15 spline shaft) T60, T75, T85, T90	500	11500000	\$00.00	
<b>SUZUKI<sup>®</sup>:</b> (13 spline shaft) DT 2 Stroke ('89+): 75 to 140hp / DF 4 Stroke ('98-'09): 60hp, 70hp	506	11500600	\$00.00	
<b>YAMAHA<sup>®</sup>:</b> (15 spline shaft) High Thrust: T50, FT60 / 2 stroke: 60 to 100hp / 4 stroke: 70 to 100hp	500	11500000	\$00.00	
<b>YAMAHA<sup>®</sup>:</b> (15 spline shaft) 2 stroke: 115 to 130hp / 4stroke: 115hp	505	11500500	\$00.00	



Dia x Pitch	Model #	Part #	List
NEW 13.75 x 15	AE1/AE2-1315	32431510	\$000.00
NEW 13.25 x 17	AE1/AE2-1317	32431710	\$000.00
NEW 13.25 x 19	AE1/AE2-1319	32431910	\$000.00



## A SAFER PROP THAT'S SEA LIFE FRIENDLY

\*Mercury/Mariner (1977 and older) not available.  
\*Yamaha: if propeller strikes trim tab, replace with Yamaha part #6E5-45371-10.

## 90-300+hp ENGINES WITH A 4.75" GEARCASE

Engine Brand - 15 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE<sup>®</sup> / JOHNSON<sup>®</sup>:</b> V4 with V6 large gearcase: 100hp commercial, 120hp ('85), 130hp ('95-'96), 140hp ('85), Pleasure ('95+): 115hp, 130hp / H.O.: 150, 200, 225, 250hp E-TEC (includes pontoon series - not for E-TEC G2): (25" shaft) 90hp, 115hp, 130hp ('09-'10), 135hp to 300hp / V6: 135hp to 250hp / V8: 250hp to 300hp	502	11500200	\$00.00	
<b>EVINRUDE<sup>®</sup> E-TEC<sup>®</sup> G2<sup>™</sup>:</b> G2 Series Only: 150 to 300hp	511	11501100	\$00.00	
<b>HONDA<sup>®</sup>:</b> BF115D, BF135, BF150, BF200 ('02-'12), BF225 ('02-'12)	507	11500700	\$00.00	
<b>HONDA<sup>®</sup>:</b> BF200A ('13+), BF225A ('13+), BF250A ('12+)	508	11500800	\$00.00	
<b>MERCURY<sup>®</sup> &amp; MARINER<sup>®</sup>:</b> Note: 115hp ProXS CT Only; For ProXS & Verado w/ 1.25" prop shaft, use Mercury Solid Hub kit with the Turning Point Prop. EFI CT / SeaPro: 90 to 150hp / V6 & I6: 135 to 300hp / Verado 135 to 300hp / OptiMax: 150, 200, 250hp	501	11500100	\$00.00	
<b>MERCURUISER<sup>®</sup>:</b> (If propeller strikes trim tab, replace with Mercury part #822777A1) Alpha One and Bravo One ('83+)	501	11500100	\$00.00	
<b>OMC<sup>®</sup>:</b> Cobra 800: 3.0 to 7.5L / King Cobra: 454, 502 / Sea Drive: 2.0 to 4.0L	502	11500200	\$00.00	
<b>SUZUKI<sup>®</sup>:</b> DT 2 stroke: 150hp to 225hp	507	11500700	\$00.00	
<b>TOHATSU<sup>®</sup>:</b> BFT115, BFT150, BFT200, BFT225, BFT250	508	11500800	\$00.00	
<b>VOLVO<sup>®</sup> PENTA SX &amp; OMC SX COBRA:</b> (19 spline) ('94+): 3.0 to 8.2L. Not available for Volvo DuoProp or Aquamatic drives.	504	11500400	\$00.00	
<b>YAMAHA<sup>®</sup>:</b> 2 and 4 stroke: 150 to 250hp / stern drives 3.0 to 7.4L	505	11500500	\$00.00	



Dia x Pitch	Model #	Part #	List
NEW 14.25 x 17	AE-1417	32501710	\$000.00
NEW 14.25 x 19	AE-1419	32501910	\$000.00
NEW 14.25 x 21	AE-1421	32502110	\$000.00



### Lifetime Warranty Hub System

- Save up to 38% when purchasing a replacement Prop
- Reduce gear shock and engine/drive damage
- Minimizes propeller vibration and chatter
- Corrosion resistant brass splines and nylon
- Eliminates spun hubs
- Ends hub cracking



# ALUMINUM PROPELLERS

## NEW ENGINEERING CRANKS UP BOAT PERFORMANCE



### HUSTLER PROP OPTIONS

- ★ **6-20hp**  
 9", 10" pitch

---

- ▲ **9.9-35hp**  
 11", 13" pitch

---

- **25-75hp**  
 8", 10.5", 11", 12", 13", 14", 15", 17" pitch

---

- ◆ **40-150hp**  
 11", 13", 15", 17", 19", 21", 23" pitch

---

- **90-300+hp**  
 11", 13", 15", 17", 19", 21" pitch  
 15", 17", 19", 21", 23" pitch  
 15", 17", 19", 21" pitch



Turning Point has built our reputation on a relentless focus on engineering the best performing aluminum propellers in the World. Utilizing state-of-the-art Squeeze Casting technology, we produce Hustler 3 Blade Propellers that run as fast as our competitors' Stainless Steel Props, and even sometimes faster! Super stiff metallurgy, unique blade geometry, aggressive pitch, rake, and cup all give you the best we can offer: Stainless Performance at Aluminum Prices! Hustler propellers are the only aluminum propeller manufactured with performance enhancing vent holes (selected models only 13" & 14" diameter 15+ Pitch). If you want the most your boat and engine combination can offer, then the Hustler 3 Blade delivers.

The Three Blade Hustler is great for boaters looking to get the most top end out of their boat, and offer excellent bow lifting capabilities. Four blade props accelerate faster, exhibit stern lift, handle rough or following seas better, and maintain speed better as you load the boat down with gear or people. Three blade props run better on pontoons, while four blades and three blades both run well on tri-toons (recent testing has shown that pontoons and tri-toons run better with larger blade diameters than runabout or bass boat hulls).

Turning Point manufactures Hustler propellers to fit 6-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

The Prop that put the "four" in Performance! Turning Point's Four Blade Hustler revolutionized the aluminum propeller market when introduced over 6 years ago. No one had ever produced an aluminum propeller with two different blade shapes (we call it Dual Geometry) for 90-300+hp applications and a state-of-the-art Swept Cleaver design for 40-150hp applications. These props re-wrote the rules, proving that you can run a four blade that has unprecedented hole shot, handling, and rough water stability without the top-end speed loss you experience with other manufacturers' propellers.

The Hustler 4 blade series is perfect for any application that demands enhanced acceleration, cornering, and load carrying capabilities. This prop series is ideally suited for watersports, sterndrive boats, tri-toons, bay boats, and any vessel that can use stern lift. It is our best upgrade of older aluminum designs from the 70's, 80's, 90's, and '00's, and will outrun most newer props, including five blade ski props.

### SQUEEZE CAST FOR ADDED STRENGTH

Stainless steel performance is built into the Hustler Aluminum prop line. This is achieved through unique blade geometry and an exclusive Turning Point manufacturing process, Squeeze Casting. It generates the highest mechanical properties attainable in a cast aluminum prop resulting from a tighter grain structure. Stiffer blades means less flex and a faster prop. Competitors still use old Die-Cast processes that produce blades that flex, resulting in overall poor performance.



## HUSTLER MANUFACTURING, DESIGN, AND PERFORMANCE FEATURES

### Stainless Steel Performance at Aluminum Prices

New unique blade geometry and manufacturing processes results in the highest performance aluminum propellers on the block. Hustler® propellers out performed most competitive stainless steel props in recent tests. Not only does top speed, handling and hole shot improve, but also mid-range performance, which will save you a ton in gas usage.

### Long Lasting Ultracoat™ Powder Coated Finish

Exclusive to Turning Point, the Ultracoat powder coat rivals a fine finish, and is more durable than paint. Utilizing a state-of-the-art finishing process, Ultracoat gives the propeller a shiny, uniform appearance that enhances any boat's good looks.




### Tuned Vents for Fast Hole Shot

Turning Point uses this race boat proven technology to increase low speed acceleration and hole shot. Use it to get your boat on plane faster, and to your favorite fishing spot quicker! (selected models only 13" & 14" diameter 15+ Pitch).

### Best "In-Class" Reversibility

Recent tests reveal that new Hustler Aluminum Propellers have up to 46% more reverse thrust over competitive propeller designs.



### Performance Tuned Rake Angles

Higher rake angles tighten the vortex produced by the propellers, adding to boat lift and overall performance.

### High Flow-Through Barrel Exhaust System

Maximizing exhaust flow increases horsepower and top end speed.

### Tuned Progressive Pitch Angles

Accelerating and channeling water to minimize slip increases performance and fuel economy.

# HOW TO FIND YOUR BOAT PROPELLER

3 Blade 4 Blade Left Rotation Right Rotation (standard)



## 1. Find Your Engine

Use all elements to find your exact engine model.

## 2. Buy This Kit

All props require an Installation kit.

## 3. Pick Your Housing Pitch

Order both prop and installation kit (2 items).

## 6-20hp ENGINES WITH A 2.5" GEARCASE

Engine Brand - Various Splined Prop Shafts	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> (13 spline) 2 stroke ('74-'95): 9.9, 15 4 stroke: 8hp ('96+), 9.9hp ('95-'01), 15hp ('95+)	202	11100201	\$00.00	★
<b>EVINRUDE® / JOHNSON®:</b> (10 spline) 4 stroke ('02+): 9.9, 15hp	206	11100601	\$00.00	
<b>HONDA®:</b> (8 spline) 8hp ('01+) / 9.9, 15, 20hp. Note: Does not fit 8 Classic, pin drive.	205	11100501	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> (8 spline, lock nut) 2 stroke: 6hp, 8hp, 9.9hp, 15hp / Sea Pro/Marathon 10hp, 15hp 4 stroke: 8hp, 9.9hp ('95-'04), 15hp ('89-'06)	201	11100101	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> (14 spline shaft by Nissan, cotter pin) 4 stroke Bigfoot / CT ('05+): 8hp, 9.9hp / 4 stroke ('07+): 15hp, 20hp	207	11100701	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> (14 spline) 2 stroke: 9.9hp ('84-'05), 12hp ('85-'88) / 15 & 18hp ('85-'05) / 4 stroke: 9.9hp, 15hp, 18hp, 20hp	207	11100701	\$00.00	
<b>PARSUN®:</b> (8 spline) 9.9hp, 15hp	205	11100501	\$00.00	
<b>SUZUKI®:</b> (10 spline TYPE M) DT 2 stroke: 9.9 ('83-'87), 15hp, 15C/DF 4 stroke: 8A, 9.9A, 9.9, 15 / ('12+): 15A, 20A Note: Does not fit DT 8C & 9.9C ('88-'97)	206	11100601	\$00.00	
<b>YAMAHA®:</b> (8 spline) 2 stroke: 9.9, 15 / 4 stroke: 9.9 ('00-'07), 15, 15C, 20hp	205	11100501	\$00.00	

Engine Brand - 12 Spline Prop Shaft	Kit	Part #	List	Prop
<b>NISSAN® &amp; TOHATSU®:</b> (12 spline) 2 & 4 stroke: 8hp, 9.8hp	208	11100801	\$00.00	★
<b>MERCURY® &amp; MARINER®:</b> (12 spline, cotter pin) 4 stroke ('05 & newer): 8hp, 9.9hp	208	11100801	\$00.00	

## 9.9-35hp ENGINES WITH A 3" GEARCASE

Engine Brand - Various Splined Prop Shafts	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> (14 spline) 2 stroke: 20, 25 ('84+), 25 commercial ('93-'05), 30 ('84+), 35 ('76-'05) / E-Tec: 25hp, 30hp / H.O.: 15hp	22	11200200	\$00.00	▲
<b>FORCE®:</b> (10 spline) 25hp ('95-'98)	21	11200100	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> (10 spline) 2 stroke: 18hp ('80-'85), 20hp ('86+), 25hp ('85+) 4 stroke Bigfoot / Sail: 9.9hp ('99-'05), 15hp ('99-'05)	21	11200100	\$00.00	

Engine Brand - 10 Spline Prop Shaft	Kit	Part #	List	Prop
<b>HONDA®:</b> BF25, BF30	28	11200800	\$00.00	▲
<b>MERCURY® &amp; MARINER®:</b> 4 stroke ('06+, cotter pin shaft): 25hp, 30hp	28	11200800	\$00.00	
<b>PARSUN®:</b> 20hp, 25hp	25	11200500	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> 2 and 4 stroke: 25hp, 30hp	28	11200800	\$00.00	
<b>YAMAHA®:</b> 2 stroke: 20hp, 25hp, 30hp / 4 stroke: 25hp	25	11200500	\$00.00	

Engine Brand - 10 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> 4 stroke: 25hp, 30hp	26	11200600	\$00.00	▲
<b>SUZUKI®:</b> DT 2 stroke ('87+): 20, 25, 25C, 30, 30C DF 4 stroke: 25hp, 30hp	26	11200600	\$00.00	

## 25-75hp ENGINES WITH A 3.5" GEARCASE

Engine Brand - 13 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> 4 stroke: 40hp, 50hp	11	11300101	\$00.00	▲
<b>FORCE®:</b> 40hp ('95-'98), 50hp ('95-'98), 70hp ('91-'95), 75hp ('96-'98)	11	11300101	\$00.00	
<b>HONDA®:</b> BF 4 stroke: 35, 40, 45, 50, 60hp, (not P60)	12	11300200	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> 2 stroke: 30hp ('94+) / 35, 45, 55 / 40, 50, 60 ('77+) / 70hp ('77-'83) 4 stroke: 25hp, 30hp Bigfoot / 30hp ('94-'05) / 40hp (*not Bigfoot, CT, or SeaPro 4cyl.), 45hp, 48hp (Mariner), 50hp (*not bigfoot or CT), 55hp (SeaPro), 60hp (*not Bigfoot, CT, or SeaPro) *note: see 4.25" Gearcase	11	11300101	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> 40C, 40D, 50D, 50C, 60A, 70A2, 60B, 70B	13	11300301	\$00.00	
<b>PARSUN®:</b> T30, T35, T36, T40	12	11300200	\$00.00	
<b>SUZUKI®:</b> DT 2 stroke ('89+): 35C, 40, 50, 50M, 55, 60, 65hp DF 4 stroke: 40hp, 50hp / ('10+): 40A, 50A, 60A	11	11300101	\$00.00	
<b>YAMAHA®:</b> 2 stroke: 40hp to 55hp / 4 stroke: FT25hp High Thrust, 30hp to 60hp Nissan/Tohatsu: can't use H1-12xx.	12	11300200	\$00.00	

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
9 x 9	R4-0909	21100910	\$00.00
9 x 10	R4-0910	21101010	\$00.00

### Not Sure What Propeller to Buy?



### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
9 x 9	R5-0909	21110910	\$00.00
9 x 10	R5-0910	21111010	\$00.00

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
10.5 x 11	R1-1011	21201110	\$00.00
10.125 x 13	R1-1013	21201310	\$00.00

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
10.325 x 11	R2-1011	21211110	\$00.00
10.375 x 13	R2-1013	21211310	\$00.00

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
10.5 x 11	R3-1011	21221110	\$00.00
10.125 x 13	R3-1013	21221310	\$00.00

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
12.5 X 8	H1-1208	21300810	\$00.00
12 X 10.5	H1-1210	21301010	\$00.00
10.875 X 11	H1-1011	21301110	\$00.00
10.75 X 12	H1-1012	21301210	\$00.00
10.5 X 13	H1-1013	21301310	\$00.00
10.375 X 14	H1-1014	21301410	\$00.00
10.125 X 15	H1-1015	21301510	\$00.00

**EXCLUSIVE LIFETIME WARRANTY HUBS**  
 "The last hub you will have to buy engineered to not let you down."



Mercury/Mariner (1977 and older) not available.  
 Yamaha: if propeller strikes trim tab, replace with Yamaha part #6E5-45371-10.

## 25-75hp ENGINES WITH A 3.5" GEARCASE

Engine Brand - 13 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> 2 cyl.: 40hp, 48hp / 50hp ('75-'05) / 55hp ('76-'79) / 60hp, 65hp ('80-'85) 3 cyl. (with small gearcase): 75hp ('75-'85) Sprint and Formula E ('86-'92)	12	11300200	\$00.00	▲

**Compatible with Competitors' Hub & Prop Systems**  
 Works with Mercury® Flo-Torq II®, Michigan Wheel® XHS®, Solas® Rubex™

## 40-150hp ENGINES WITH A 4.25" GEARCASE

Engine Brand - Various Splined Prop Shafts	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> (13 spline shaft) 2 cyl: 50hp ('71-'74) / 45 to 55hp commercial 3 cyl: 55, 60, 65, 70hp, 75hp with large gearcase, 65hp commercial 4 cyl: 75, 85, 88, 90, 100, 110, 115, 120 ('86-'94), 125, 135 ('73-'76), 140 ('77-'84, '86-'94) / H.O.: 115hp E-TEC: 40, 50, 60, 65, 75hp / 20" shaft: 90, 115hp (not pontoon series), 130hp ('09-'10)	503	11500300	\$00.00	▲
<b>EVINRUDE® / JOHNSON®:</b> (13 spline shaft) 4 stroke: 60hp, 70hp	506	11500600	\$00.00	
<b>FORCE®:</b> (15 spline shaft) 75hp ('99) / 90hp to 150hp ('95+)	501	11500100	\$00.00	
<b>HONDA®:</b> (15 spline shaft) ('95-'98): 75hp, 90hp	501	11500100	\$00.00	
<b>HONDA®:</b> (15 spline shaft) P60 / 75, 90 ('99+) / 100, 115, 130hp. (not 115D)	507	11500700	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> (15 spline shaft) (2 and 4 stroke) 40 to 60 BigFoot / 70 ('87-'89) / 75, 80 ('78-'89), 90, 100, 115, 125, 140hp / 150 XR4/6 (thru 1993, includes equivalent Mariner Magnum I, II, III.) EFI CT & SeaPro 4cyl: 40 to 75hp / OptiMax: 75, 90, 115, 125hp	501	11500100	\$00.00	
<b>NISSAN® &amp; TOHATSU®:</b> (15 spline shaft) 60C, 70C / 90 to 140hp(not BFT)	505	11500500	\$00.00	
<b>OMC®:</b> (13 spline shaft) Cobra 400: 2.3 to 3.0L ('78-'89) / Sea Drive: 1.6 to 1.8L	503	11500300	\$00.00	
<b>PARSUN®:</b> (15 spline shaft) T60, T75, T85, T90	500	11500000	\$00.00	
<b>SUZUKI®:</b> (13 spline shaft) DT 2 Stroke ('89+): 75 to 140hp / DF 4 Stroke ('98-'09): 60hp, 70hp	506	11500600	\$00.00	
<b>SUZUKI® / JOHNSON®:</b> (15 spline shaft) <b>USE 4 BLADES ONLY</b> 4 stroke: ('09+) 70A, 80A, 90A, 70, 80 / ('01+) 90, 100, 115 (Not 115A)	509	11500900	\$00.00	
<b>SUZUKI® / JOHNSON®:</b> (15 spline shaft) <b>USE 4 BLADES ONLY</b> DF 4 stroke: 50AV, 60AV, 115A, 140, 140A	501	11500100	\$00.00	
<b>YAMAHA®:</b> (15 spline shaft) High Thrust: T50, FT60 / 2 stroke: 60 to 100hp / 4 stroke: 70 to 100hp	500	11500000	\$00.00	
<b>YAMAHA®:</b> (15 spline shaft) 2 stroke: 115 to 130hp / 4stroke: 115hp	505	11500500	\$00.00	

## 90-300+hp ENGINES WITH A 4.75" GEARCASE

Engine Brand - 15 Spline Prop Shaft	Kit	Part #	List	Prop
<b>EVINRUDE® / JOHNSON®:</b> V4 with V6 large gearcase: 100hp commercial, 120hp ('85), 130hp ('95-'96), 140hp ('85), Pleasure ('95+): 115hp, 130hp / H.O.: 150, 200, 225, 250hp E-TEC (includes pontoon series - not for E-TEC G2): (25" shaft) 90hp, 115hp, 130hp ('09-'10), 135hp to 300hp / V6: 135hp to 250hp / V8: 250hp to 300hp	502	11500200	\$00.00	▲
<b>EVINRUDE® E-TEC® G2™:</b> G2 Series Only: 150 to 300hp	511	11501100	\$00.00	
<b>HONDA®:</b> BF115D, BF135, BF150, BF200 ('02-'12), BF225 ('02-'12)	507	11500700	\$00.00	
<b>HONDA®:</b> BF200A ('13+), BF225A ('13+), BF250A ('12+)	508	11500800	\$00.00	
<b>MERCURY® &amp; MARINER®:</b> *Note: 115hp ProXS CT Only; For ProXS & Verado w/ 1.25" prop shaft, use Mercury Solid Hub kit with the Turning Point Prop. EFI CT / SeaPro: 90 to 150hp / V6 & I6: 135 to 300hp / Verado 135 to 300hp / OptiMax: 150, 200, 250hp	501	11500100	\$00.00	
<b>MERCUISER®:</b> (If propeller strikes trim tab, replace with Mercury part #822777A1) Alpha One and Bravo One ('83+)	501	11500100	\$00.00	
<b>OMC®:</b> Cobra 800: 3.0 to 7.5L / King Cobra: 454, 502 / Sea Drive: 2.0 to 4.0L	502	11500200	\$00.00	
<b>SUZUKI®:</b> DT 2 stroke: 150hp to 225hp	507	11500700	\$00.00	
<b>TOHATSU®:</b> BFT115, BFT150, BFT200, BFT250	508	11500800	\$00.00	
<b>VOLVO® PENTA SX &amp; OMC SX COBRA:</b> (19 spline) ('94+): 3.0 to 8.2L. Not available for Volvo DuoProp or Aquamatic drives.	504	11500400	\$00.00	
<b>VOLVO® PENTA AQ:</b> (17 spline) <b>USE 4 BLADES ONLY</b> 200, 250, 270, 280, 290	510	11501000	\$00.00	
<b>YAMAHA®:</b> 2 and 4 stroke: 150 to 250hp / stern drives 3.0 to 7.4L	505	11500500	\$00.00	

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
12.5 X 8	H2-1208	21310810	\$00.00
12 X 10.5	H2-1210	21311010	\$00.00
12.5 X 13	H2-1213	21311310	\$00.00
12.125 X 15	H2-1215	21311510	\$00.00
11.75 X 17	H2-1117	21311710	\$00.00

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
14 x 11	LE1/LE2-1411	21431111	\$00.00
14 x 13	LE1/LE2-1413	21431311	\$00.00
13.75 x 15	LE1/LE2-1315	21431511	\$00.00
13.25 x 17	LE1/LE2-1317	21431711	\$00.00
13.25 x 19	LE1/LE2-1319	21431911	\$00.00
13.25 x 21	LE1/LE2-1321	21432111	\$00.00
13.25 x 23	LE1/LE2-1323	21432311	\$00.00

### ALUMINUM 4 BLADE PROPS

Dia x Pitch	Model #	Part #	List
NEW 14 x 11	LE1/LE2-1411-4	21431130	\$00.00
NEW 14 x 13	LE1/LE2-1413-4	21431330	\$00.00
13.5 x 15	LE1/LE2-1315-4	21431530	\$00.00
13.25 x 17	LE1/LE2-1317-4	21431730	\$00.00
13 x 19	LE1/LE2-1319-4	21431930	\$00.00
NEW 13 x 21	LE1/LE2-1321-4	21432130	\$00.00

### ALUMINUM 3 BLADE PROPS

Dia x Pitch	Model #	Part #	List
15.25 x 15	LE-1515	21501511	\$00.00
14.25 x 17	LE-1417	21501711	\$00.00
14.25 x 19	LE-1419	21501911	\$00.00
14.25 x 21	LE-1421	21502111	\$00.00
14.25 x 23	LE-1423	21502311	\$00.00

### ALUMINUM 4 BLADE PROPS

Dia x Pitch	Model #	Part #	List
15 x 15	LE-1515-4	21501530	\$00.00
15 x 15	LE-1515-4L	21501540	\$00.00
14.5 x 17	LE-1417-4	21501730	\$00.00
14.5 x 17	LE-1417-4L	21501740	\$00.00