

XS SERIES 4", 6.5" AND 7.7" MARINE SPEAKERS

FUSION®

CODE	PEAK POWER
XS-F40CWB	80 WATTS
XS-F65CWB	200 WATTS
XS-F65CWSPG	200 WATTS
XS-FL65SPGW	200 WATTS
XS-F77CWB	240 WATTS
XS-F77CWSPG	240 WATTS
XS-FL77SPGW	240 WATTS



KEY FEATURES

3 YEAR
WARRANTY

QUALITY AUDIO REPRODUCTION

Continuing to set the benchmark for marine audio entertainment, the redesigned XS speaker range brings you Fusion's trademark quality audio reproduction, enhanced marine aesthetics and an LED lighting solution at a mid-range price point.

Designed to produce consistently high quality audio at even the loudest volumes, the XS speakers are built for on-board performance season after season.

INNOVATIVE RGB ILLUMINATED CONE

The sports style speakers feature an innovative cone to provide bright and even LED illumination on board in a range of colors to further enhance your on-water audio entertainment experience. Choose a color to match the mood, set the tone or complement your music, and enjoy bright, even illumination on board.



IP65 WEATHERPROOF

The XS speakers are rated IP65 for water and dust ingress protection, while also meeting industry standards for UV and salt fog protection. This makes them perfect for both indoor and outdoor installation on any vessel in the harsh marine environment.

OPTIMIZED FULL RANGE SPEAKER AND BASKET DESIGN

The redesigned XS speakers combine optimized speaker drivers with separate tweeters to produce quality audio at all volume levels. They also feature an open backed basket to further enhance the acoustic range and allow for greater heat dissipation.

Designed with performance and quality in mind, even at high volume levels, the XS speakers are acoustically optimized to deliver a quality audio entertainment experience out on the water.

LOW PROFILE SPEAKER GRILLES

The redesigned XS speakers feature low profile speaker grilles, for a sleeker design while protecting your speakers from damage.

These stylish grilles not only complement modern on-board aesthetics, but also reduce the risk of damage from people and objects brushing past them due to their low protrusion from the wall when installed correctly.

ACCESSORY (OPTIONAL)

The **MS-RGBRC** wireless remote controller lets you take full control of your Fusion RGB speaker illumination, from the convenience of wherever you are on board. Change the color, brightness, speed and mode on the touch controls. The wireless remote can control up to three lighting zones and will function up to 10m from the speaker lighting controller module.

Note: For control of additional zones, additional LED control modules must be purchased.



FOR MORE INFORMATION VISIT FUSIONENTERTAINMENT.COM

FUSION PRODUCT INFO

CODE	GARMIN PN	EAN-13 BARCODE	GIFT BOX DIMENSIONS
XS-F40CWB	010-02199-00	753759221393	
XS-F65CWB	010-02196-00	753759221409	
F65CWSPG	010-02196-10	753759221416	
XS-FL65SPGW	010-02196-20	753759221423	
XS-F77CWB	010-02197-00	753759221454	
XS-F77CWSPG	010-02197-10	753759221461	
XS-FL77SPGW	010-02197-20	753759221478	


FUSION ACCESSORY PRODUCT INFO

CODE	GARMIN PN	EAN-13 BARCODE	GIFT BOX DIMENSIONS
XS-X65SPW	010-12878-00	753759221553	
XS-X65SPG	010-12878-10	753759221560	
XS-X65CW	010-12878-20	753759221577	
XS-X65CB	010-12878-30	753759221584	
XS-X77SPW	010-12879-00	753759221591	
XS-X77SPG	010-12879-10	753759221607	
XS-X77CW	010-12879-20	753759221614	
XS-X77CB	010-12879-30	753759221621	


SPECIFICATIONS

	XS-F40	XS-F65	XS-FL65	XS-F77	XS-FL77
SPEAKER SIZE	4"	6.5"	6.5"	7.7"	7.7"
PEAK POWER (WATTS)	80	200	200	240	240
RMS POWER RATING (WATTS)	20	50	50	60	60
EFFICIENCY (1W/1M)	86	90	90	91	91
FREQUENCY RESPONSE	100-20 kHz	80-20 kHz	80-20 kHz	70-20 kHz	70-20 kHz
NOMINAL IMPEDANCE	4 ohm	4 ohm	4 ohm	4 ohm	4 ohm
TWEETER TYPE	Aluminium Dome	Aluminium Dome	Aluminium Dome	Aluminium Dome	Aluminium Dome
CONE/SURROUND MATERIAL	Polypropylene with rubber surround	Polypropylene with cloth surround	Polypropylene with cloth surround	Polypropylene with cloth surround	Polypropylene with cloth surround
REAR SPEAKER DIAMETER	99mm (3-7/8")	135mm (5-5/16")	135mm (5-5/16")	162mm (6-3/8")	162mm (6-3/8")
MOUNTING DIAMETER CLEARANCE	138mm (5-7/16")	180mm (7-1/16")	180mm (7-1/16")	199mm (7-13/16")	199mm (7-13/16")
MOUNTING DEPTH CLEARANCE	53.8mm (2-1/8")	70.3mm (2-3/4")	70.3mm (2-3/4")	79.8mm (3-1/8")	79.8mm (3-1/8")
SPEAKER DEPTH	50.8mm (2")	67.3mm (2-5/8")	67.3mm (2-5/8")	76.8mm (3")	76.8mm (3")
LED COLOR OPTIONS	No	No	RGB	No	RGB
WARRANTY	3 years	3 years	3 years	3 years	3 years





DIMENSIONS



KHEAD







M BULKHEAD
VINCE



4"
CLASSIC SPEAKERS

6.5"
CLASSIC SPEAKERS

7.7"
CLASSIC SPEAKERS



6.5"
SPORTS SPEAKERS

7.7"
SPORTS SPEAKERS